ELSEVIER

Materials Science and Engineering, A190 (1995) 277

MATERIALS SCIENCE & ENGINEERING A

Author Index of Volume 190

Baker, T.N., 125
Bayoumi, A.E., 173
Bochniak, W., 81
Braun, R., 143

Čadek, J., 9
Campbell, C.E., 1
Carpenter, G.J.C., 33
Chaki, T.K., 109
Chen, D., 193
Chernyashevsky, A.V., 75
Chi, F., 181

Edmonds, D.V., 207
Eliezer, Z., 181
Elliott, B.R., 1
Ericsson, T., 155

Fairushin, F.A., 117
Farkhutdinov, K.G., 117
Field, D.P., 241
Fine, M.E., 181
Fritscher, K., 253

Gabel, H., 275
Gorelikov, D.V., 1
Gottstein, G., 223
Grujicic, M., 87
Guan, Z., 55

Han, K., 207
Hanus, E., 155
Hartmann, S., 231
Hertzberg, R.W., 25
Herwig, F., L5
Hoyer, W., L5
Hu, C., 125
Hu, W., 223
Huang, C.C., 199
Hurtado, J.A., 1

Isabell, T.C., 1

Jiang, Z., 55
Jin, N., 43
Johannesson, T., 131

Kao, P.W., 65
Kim, N.J., 99
Kočová, M., 259
Kozlov, A.V., 75
Kučera, J., 247

Lee, C.S., 99
Lee, J.T., 199
Leyens, C., 253
Lian, J., 55
Lin, C.T., 65
Lippard, H.E., 1
Loucif, K., 187

MacDonald, W.D., 33
Marcus, H.L., 181
Markovsky, P.E., L9
McQueen, H.J., 43
Merle, P., 187
Michalička, P., 247
Million, B., 247
Mordyuk, B.N., 75
Morscher, G.N., 267
Mottishaw, T.D., 207
Murali, S., 165
Murthy, K.S.S., 165

Oikawa, H., 9

Park, C.G., 99
Park, K.J., 99
Peters, M., 253
Pizúrová, N., 259
Ponge, D., 223

Raman, K.S., 165
Ruppersberg, H., 231
Ryan, N.D., 43

Saimoto, S., 33
Sayir, H., 267
Schmerling, M., 181
Schneeweiss, O., 259
Shodja, H.M., 1
Smith, G.D.W., 207
Stacey, A.G., 207
Süllow, S., 259
Šustek, V., 9

Tsai, W.T., 199
Tvergaard, V., 215

Vigier, G., 187

Weertman, J., 1
Weiland, A., 131

Xie, J.Q., 173

Zdunek, K., L1
Zhou, X.W., 87

ELSEVIER

Materials Science and Engineering, A190 (1995) 279–282

MATERIALS SCIENCE & ENGINEERING A

Subject Index of Volume 189

Alloys
an indication of pre-decomposition phenomenon of liquid Al–In alloys above the binodal temperature found by viscosity investigations, L5
development of a low-expansion bond coating for Ni-base superalloys, 253
improvement of structure and mechanical properties of cast titanium alloys using rapid heat treatment, L9
microstructural influence on the intrinsic fatigue properties of Al–Li 8090 alloy, 99
microstructural stability of rapidly quenched Al–Fe–Mo alloys, 187
mocrostructure and electrochemical behavior of laser treated Fe–Cr and Fe–Cr–Si–N surface alloyed layers on carbon steel, 199
on the calculation of closure-free fatigue crack propagation data in monolithic metal alloys, 25
preparation of Cu–TiN alloy by external nitridation in combination with mechanical alloying, 181
residual stresses in fibre- and whisker-reinforced aluminium alloys during thermal cycling measured by X-ray diffraction, 131
some metallurigical aspects of chip formation in cutting Ti–6wt.%Al–4wt.%V alloy, 173
the formation of B–$FeSiAl_5$ and Be-Fe phases in Al–7Si–0.3Mg alloy containing Be, 165
threshold creep behaviour of discontinuous aluminium and aluminium alloy matrix composites: an overview, 9
Aluminium
an indication of pre-decomposition phenomenon of liquid Al–In alloys above the binodal temperature found by viscosity investigations, L5
boron in polycrystalline Ni_3Al–mechanism of enhancement of ductility and reduction of environmental embrittlement, 109
effect of fiber bridging on the fatigue crack propagation in carbon fiber-reinforced aluminum laminates, 65
evaluation of the stress corrosion cracking behaviour of damage-tolerant Al–Li sheet using the slow strain rate testing technique, 143
microstructural influence on the intrinsic fatigue properties of Al–Li 8090 alloy, 99
microstructural stability of rapidly quenched Al–Fe–Mo alloys, 187
residual stresses in fibre- and whisker-reinforced aluminium alloys during thermal cycling measured by X-ray diffraction, 131
some metallurgical aspects of chip formation in cutting Ti–6wt.%Al–4wt.%V alloy, 173
the formation of B–$FeSiAl_5$ and Be–Fe phases in Al–7Si–0.3Mg alloy containing Be, 165
threshold creep behaviour of discontinuous aluminium and aluminium alloy matrix composites: an overview, 9
Austenite
atomistic simulation of thermally activated glide of dislocations in Fe–Ni–Cr–N austenite, 87
Backscattering
quantification of partially recrystallized polycrystals using electron backscatter diffraction, 241
Bending
bend properties of sapphire fibers at elevated temperatures I: Bend survivability, 267
Beryllium
the formation of B–FeSiA15 and Be–Fe phases in Al–7Si–0.3Mg alloy containing Be, 165
Boron
boron in polycrystalline Ni_3Al–mechanism of enhancement of ductility and reduction of environmental embrittlement, 109
Capillaries
an analysis of the capillary force and optimum liquid volume in a transient liquid phase sintering process, 125
Carbon
composition and tempering of Fe–C and Ne–Ni–C fine particles prepared by spark erosion, 259
effect of fiber bridging on the fatigue crack propagation in carbon fiber-reinforced aluminum laminates, 65
effect of thermomechanical treatment of 0.45 wt.% C in the superplastic mode on plastic zone parameters after impact fracture in the ductile-brittle transition temperature range, 117
microstructure and electrochemical behavior of laser treated Fe–Cr and Fe–Cr–Si–N surface alloyed layers on carbon steel, 199
the influence of silicon on carbon redistribution in steel weldments, 247
transmission electron microscopy investigation into the recrystallization of carbon resulting from laser processing of carbon-implanted copper, L1
Cementite
thermal expansion of cementite and thermoelastic stresses in white cast iron, 231
Chip formation
some metallurigcal aspects of chip formation in cutting Ti–6wt.%Al–4wt.%V alloy, 173
Chromium
atomistic simulation of thermally activated glide of dislocations in Fe–Ni–Cr–N austenite, 87
microstructure and electrochemical behavior of laser treated Fe–Cr and Fe–Cr–Si–N surface alloyed layers on carbon steel, 199
Composites
effect of pressure rolling on the residual stress state of a particulate-reinforced metal matrix composite, 155

threshold creep behaviour of discontinuous aluminium and aluminium alloy matrix composites: an overview, 9
Copper
preparation of Cu–TiN alloy by external nitridation in combination with mechanical alloying, 181
strain localization and superplastic-like flow in copper at high temperature, 81
transmission electron microscopy investigation into the recrystallization of carbon resulting from laser processing of carbon-implanted copper, L1
Corrosion
evaluation of the stress corrosion cracking behaviour of damage-tolerant Al–Li sheet using the slow strain rate testing technique, 143
Cracking
effect of fiber bridging on the fatigue crack propagation in carbon fiber-reinforced aluminium laminates, 65
evaluation of the stress corrosion cracking behaviour of damage-tolerant Al–Li sheet using the slow strain rate testing technique, 143
on the calculation of closure-free fatigue crack propagation data in monolithic metal alloys, 25
Creep
threshold creep behaviour of discontinuous aluminium and aluminium alloy matrix composites: an overview, 9
Crystals
computer model simulation study of nanocrystalline iron, 193
quantification of partially recrystallized polycrystals using electron backscatter diffraction, 241
transmission electron microscopy investigation into the recrystallization of carbon resulting from laser processing of carbon-implanted copper, L1

Deformation
disclination grain boundary model with plastic deformation by dislocations, 1
effects of microstructural variables on the deformation behaviour of dual-phase steel, 55
Diffraction
quantification of partially recrystallized polycrystals using electron backscatter diffraction, 241
Diffusion
origin of grain boundary motion during diffusion bonding by hot pressing, 223
Disclination
disclination grain boundary model with plastic deformation by dislocations, 1
Dislocation
atomistic simulation of thermally activated glide of dislocations in Fe–Ni–Cr–N austenite, 87
disclination grain boundary model with plastic deformation by dislocations, 1
Ductility
boron in polycrystalline Ni_3Al—mechanisms of enhancement of ductility and reduction of environmental embrittlement, 109

Embrittlement
boron in polycrystalline Ni_3Al—mechanism of enhancement of ductility and reduction of environmental embrittlement, 109
Energy dissipation efficiency
relationship of energy dissipation efficiency to microstructural evolution in hot working of AISI 304 steel, 43
Erosion
composition and tempering of Fe–C and Fe–Ni–C fine particles prepared by spark erosion, 259
Eutectoids
effects of vanadium additions on microstructure and hardness of hypereutectoid pearlitic steels, 207

Fatigue
effect of fiber bridging on the fatigue crack propagation in carbon fiber-reinforced aluminum laminates, 65
microstructural influence on the intrinsic fatigue properties of Al–Li 8090 alloy, 99
on the calculation of closure-free fatigue crack propagation data in monolithic metal alloys, 25
Fibre
fibre debonding and breakage in a whisker-reinforced metal, 215
Fibres
effect of fiber bridging on the fatigue crack propagation in carbon fiber-reinforced aluminum laminates, 65
residual stresses in fibre- and whisker-reinforced aluminium alloys during thermal cycling measured by X-ray diffraction, 131
Fracture
effect of thermomechanical treatment of 0.45 wt.% C in the superplastic mode on plastic zone parameters after impact fracture in the ductile–brittle transition temperature range, 117

Grain boundaries
disclination grain boundary model with plastic deformation by dislocations, 1
origin of grain boundary motion during diffusion bonding by hot pressing, 223

Hot pressing
origin of grain boundary motion during diffusion bonding by hot pressing, 223
Hot working
relationship of energy dissipation efficiency to microstructural evolution in hot working of AISI 304 steel, 43

Indium
an indication of pre-decomposition phenomenon of liquid Al–In alloys above the binodal temperature found by viscosity investigations, L5
Iron
atomistic simulation of thermally activated glide of dislocations in Fe–Ni–Cr–N austenite, 87
composition and tempering of Fe–C and Fe–Ni–C fine particles prepared by spark erosion, 259
computer model simulation study of nanocrystalline iron, 193
microstructural stability of rapidly quenched Al–Fe–Mo alloys, 187
microstructure and electrochemical behavior of laser treated Fe–Cr and Fe–Cr–Si–N surface alloyed layers on carbon steel, 199
the formation of B-$FeSiAl_5$ and Be–Fe phases in Al–7Si–0.3Mg alloy containing Be, 165
thermal expansion of cementite and thermoelastic stresses in white cast iron, 231

Laminates
effect of fiber bridging on the fatigue crack propagation in carbon fiber-reinforced aluminum laminates, 65

Lasers
transmission electron microscopy investigation into the recrystallization of carbon resulting from laser processing of carbon-implanted copper, L1
Lithium
evaluation of the stress corrosion cracking behaviour of damage-tolerant Al–Li sheet using the slow strain rate testing technique, 143
microstructural influence on the intrinsic fatigue properties of Al–Li 8090 alloy, 99

Magnesium
the formation of B–$FeSiAl_5$ and Be-Fe phases in Al–7Si–0.3Mg alloy containing Be, 165
Metals
effect of pressure rolling on the residual stress state of a particulate-reinforced metal matrix composite, 155
fibre debonding and breakage in a whisker-reinforced metal, 215
on the calculation of closure-free fatigue crack propagation data in monolithic metal alloys, 25
Molybdenum
microstructural stability of rapidly quenched Al–Fe–Mo alloys, 187

Nickel
atomistic simulation of thermally activated glide of dislocations in Fe–Ni–Cr–N austenite, 87
boron in polycrystalline Ni_3Al—mechanism of enhancement of ductility and reduction of environmental embrittlement, 109
composition and tempering of Fe–C and Fe–Ni–C fine particles prepared by spark erosion, 259
development of a low-expansion bond coating for Ni-base superalloys, 253
Nitrogen
atomistic simulation of thermally activated glide of dislocations in Fe–Ni–Cr–N austenite, 87
microstructure and electrochemical behavior of laser treated Fe–Cr and Fe–Cr–Si–N surface alloyed layers on carbon steel, 199
preparation of Cu–TiN alloy by external nitridation in combination with mechanical alloying, 181

Particle reinforcement
effect of pressure rolling on the residual stress state of a particulate-reinforced metal matrix composite, 155
Pearlites
effects of vanadium additions on microstructure and hardness of hypereutectoid pearlitic steels, 207
Plasticity
disclination grain boundary model with plastic deformation by dislocations, 1
effect of thermomechanical treatment of 0.45 wt.% C in the superplastic mode on plastic zone parameters after impact fracture in the ductile-brittle transition temperature range, 117
on the additivity of acoustoplastic and electroplastic effects, 75
strain localization and superplastic-like flow in copper at high temperature, 81
Pressure
effect of pressure rolling on the residual stress state of a particulate-reinforced metal matrix composite, 155

Rapid heat treatment
improvement of structure and mechanical properties of cast titanium alloys using rapid heat treatment, L9
Rapid quenching
microstructural stability of rapidly quenched Al–Fe–Mo alloys, 187

Sapphire
bend properties of sapphire fibers at elevated temperatures I. Bend survivability, 267
Silicon
microstructure and electrochemical behavior of laser treated Fe–Cr and Fe–Cr–Si–N surface alloyed layers on carbon steel, 199
the formation of B–$FeSiAl_5$ and Be–Fe phases in Al–7Si–0.3Mg alloy containing Be, 165
the influence of silicon on carbon redistribution in steel weldments, 247
Sintering
an analysis of the capillary force and optimum liquid volume in a transient liquid phase sintering process, 125
Steel
effect of thermomechanical treatment of 0.45 wt.% C in the superplastic mode on plastic zone parameters after impact fracture in the ductile-brittle transition temperature range, 117
effects of microstructural variables on the deformation behaviour of dual-phase steel, 55
effects of vanadium additions on microstructure and hardness of hypereutectoid pearlitic steels, 207
relationship of energy dissipation effeciency to microstructural evolution in hot working of AISI 304 steel, 43
the influence of silicon on carbon redistribution in steel weldments, 247
using strain rate sensitivity measurements to determine phase relations in A430 stainless steel, 33
Strain
evaluation of the stress corrosion cracking behaviour of damage-tolerant Al–Li sheet using the slow strain rate testing technique, 143
strain localization and superplastic-like flow in copper at high temperature, 81
using strain rate sensitivity measurements to determine phase relations in A430 stainless steel, 33
Stress
effect of pressure rolling on the residual stress state of a particulate-reinforced metal matrix composite, 155
evaluation of the stress corrosion cracking behaviour of damage-tolerant Al–Li sheet using the slow strain rate testing technique, 143
residual stresses in fibre- and whisker-reinforced aluminium alloys during thermal cycling measured by X-ray diffraction, 131
thermal expansion of cementite and thermoelastic stresses in white cast iron, 231

Thermal expansion
thermal expansion of cementite and thermoelastic stresses in white cast iron, 231
Titanium
improvement of structure and mechanical properties of cast titanium alloys using rapid heat treatment, L9
preparation of Cu–TiN alloy by external nitridation in combination with mechanical alloying, 181

some metallurgical aspects of chip formation in cutting Ti–6wt.%Al–4wt.%V alloy, 173
Transient liquids
an analysis of the capillary force and optimum liquid volume in a transient liquid phase sintering process, 125
Transmission electron microscopy
transmission electron microscopy investigation into the recrystallization of carbon resulting from laser processing of carbon-implanted copper, L1

Vanadium
effects of vanadium additions on microstructure and hardness of hypereutectoid pearlitic steels, 207
some metallurigical aspects of chip formation in cutting Ti–6wt.%Al–4wt.%V alloy, 173
Viscosity
an indication of pre-decomposition phenomenon of liquid Al–In alloys above the binodal temperature found by viscosity investigations, L5

Welding
the influence of silicon on carbon redistribution in steel weldments, 247
Whisker reinforcement
fibre debonding and breakage in a whisker-reinforced metal, 215

X-ray diffraction
residual stresses in fibre-and whisker-reinforced aluminium alloys during thermal cycling measured by X-ray diffraction, 131